



Attorney Docket No. 1349.1251

gfc

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Yung-jun PARK, et al

Application No.: 10/614,793

ATTENTION

Confirmation No.: 8563

CERTIFICATE OF CORRECTION

Filed: July 9, 2003

BRANCH

U.S. Patent No.: 7,203,375

Issued: April 10, 2007

For: QUANTIZATION ERROR COMPENSATION APPARATUS AND METHOD THEREOF

REQUEST FOR CERTIFICATE OF CORRECTION

Certificate

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

JUN 26 2007

of Correction

Sir:

Patentees respectfully request that a Certificate of Correction be issued in the subject patent, pursuant to 35 U.S.C. §254 and 37 C.F.R. §1.322, to correct the mistake shown on the attached Form PTO-1050.

Since the mistakes are Patent Office mistakes, it is believed that no fee is required.

Respectfully submitted,

STAAS & HALSEY LLP

Date: Jun 22, 2007

By: [Signature]
Gene M. Garner, II
Registration No. 34,172

1201 New York Ave, N.W., 7th Floor
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

JUN 26 2007

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 7,203,375

DATED : April 10, 2007

INVENTOR(S) : Yung-jun PARK, et al

Column 12, Line 54, change "combing" to --combining--.

MAILING ADDRESS OF SENDER:

STAAS & HALSEY LLP
1201 New York Ave., N.W.
7th Floor
Washington, DC 20005

PATENT NO. 7,203,375

No. of add'l copies
@ 50¢ per page

⇒

JUN 26 2007